


# Mechanical wicket gates and rotor turnstiles for controlling transit.


An ideal product range for managing and controlling pedestrian flows - perfect for shopping malls and wherever a simple, discreet security system is needed; one that also allows smooth, quick transit of both customers and staff.






#### **Dimensions** (mm)







## Benefits that become solutions.

#### COMPASS MOVEMENT SIMPLIFIED

Four-arm mechanical rotor turnstile. A simple and inexpensive solution for guiding transiting people in an orderly fashion in public areas of any size, from stores to mega malls. It is also ideal for swimming pools, sports facilities, spas and amusement parks.

- Its AISI 304 stainless steel structure makes it suitable for installing outdoors.
- Three different openings: clockwise, counter-clockwise and two-way.
- Stainless steel finishings.

#### FLAG THE MULTI-PURPOSE SOLUTION

Mechanical wicket gate with push opening and automatic gravity closing. Ideal wherever you need to control people flow direction for control and security reasons: swimming pools, sports facilities, spas, stores, security exits, shopping malls and supermarkets. Designed to ease the passage of physically challenged people.

- Structure in AISI 304 stainless steel to make is suitable also for outdoor installation.
- Three opening types: clockwise, counter-clockwise and two-way.
- Coupled with a second wicket gate it closes openings of up to 1,940 mm (76.3 in).

### Read up at came.com about the full range of Came products!

Came is a market leading home, industrial, and special technological projects automation manufacturing company.

A full range of household solutions: from operators for gates and garage doors, to shutter and awning winding motors, and even home automation control, to burglar proof and video entry systems. Technology and reliability to serve your business, thanks to solutions designed for powering large industrial doors, automatic doors, street barriers, turnstiles, access control systems and parking facilities.





### SE IN TTALY CORRESPONDENCE OF THE CONTROL OF THE CO

GARANZIA OUALITÀ ORIGINALE

Came products are entirely designed and made in **ITALY** 



Came S.p.A. is Quality and Environmentally certified by UNI EN ISO 9001 UNI EN ISO 14001

#### **DEDICATED ACCESSORIES**



1. Channeler complete with riser with AISI 304 stainless steel arch, galvanized steel anchoring flange and chromed plastic flange cover.

#### SYSTEM'S COMPLEMENTARY ELEMENTS



- 1. Monodirectional safety barrier for cart transit. Available with two, three or four arches.
- $2. \quad \text{Floor anchored safety barrier in AlSI 304 stainless steel with polycarbonate panel; thickness 6 mm (0.23 in).} \ H = 900 \ \text{mm} (35.4 in).$
- 3. Floor anchored safety barrier in AISI 304 stainless steel without panel. H = 900 mm (35.4 in).
- 4. AISI 304 stainless steel safety barrier with antipanic handle. Available with left or right hand post. L = 900 o 1,200 mm (35.4 or 47.2 in), H = 1,000 mm (39.3 in).
- 5. Galvanized steel riser with anchoring flange and chromed plastic flange cover. H = 980 mm (38.6 in). Available without holes, with 2 holes, with 2 + 2 90° or 180° holes, with 6 holes, with 8 holes.
- 6. AlSI 304 stainless steel riser plus anchoring flange and flange cover. H = 980 mm (38.6 in). Available without holes, with 2 holes, with 2+2 90 $^{\circ}$  or 180 $^{\circ}$  holes, with 6 holes, with 8 holes
- Transparent polycarbonate panel 6 mm thick. L = 750 mm (29.5 in), H = 800 mm (31.5 in).
- AISI 304 stainless steel riser. H = 900 mm (35.4 in), Ø 80 mm (3.15 in).
  Available without clips, with 2 clips, with 2+2 90° or 180° clips, with 6 clips, with 8 clips.
- 9. Joining sleeves. Available in chromed plastic, AISI 304 stainless steel and AISI 304 stainless steel specifically for wall mounting.
- Horizontal tube for AISI 304 stainless steel safety barriers. Ø 40 mm (1.57 in) thickness 1 mm (0.04 in).
  Available in several measurements: 500, 1,000, 1,500, 2,000 mm (19.7, 39.4, 59.1, 78.7 in).



© CAME SPA - KDEP#CENB5A3S214 - JAN\_2014 - EN

Even partial reproduction is prohibited • Came reserves the right to make any changes to this document at any time

